PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL OF PLANT BIOCHEMISTRY

Editor-in-Chief
J. B. HARBORNE

Associate Editor (North America)
N. G. LEWIS

Executive Editor
T. A. SMITH

Volume 36 Contents, Author Index and Subject Index 1994

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry

Editor-in-Chief

J. B. HARBORNE: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol BS18 9AF, U.K.

Associate Editors

L. J. GOAD: Dept. of Biochemistry, Liverpool University, Liverpool L69 3BX, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster LA1 4YQ, U.K.

D. R. THRELFALL: Dept. of Applied Biology, School of Life Sciences, University of Hull, Hull HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Production Editors

Z. H. WILCOCK, S. L. SHEPHERD: Journals Production Dept., Research Journals, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

EDITORIAL BOARD—1994

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Dept. of Biochemistry, King's College, Strand, London WC2R 2LS, U.K.
E. G. Brown:	Dept. of Biochemistry, University College of Swansea, Singleton Park SA2 8PP, U.K.
E. E. Conn:	Dept. of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept. de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept. of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C. Canada V6T 1Z4.
N. H. Fischer:	Dept. of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
T. W. Goodwin:	9 Woodlands Close, Parkgate, S. Wirral, Cheshire L64 6RU, U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept. of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
V. Herout:	Dept. of Natural Products, Inst. Organic Chemistry, Flemingovo N2, Praha 6, Czech Republic.
W. Herz:	Dept. of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
E. Leete:	School of Chemistry, Minnesota University, Minneapolis, MN 55455, U.S.A.
M. Luckner:	Sektion Pharmazie, Universität Halle (Saale), Germany.
T. J. Mabry:	Dept. of Botany, University of Texas at Austin, TX 78712, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of N.S.W., P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Okayama University of Sciences, Tsushima, Okayama 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept. of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
T. ap Rees:	Botany School, University of Cambridge, Downing Street, Cambridge CB2 3EA, U.K.
U. Sankawa:	Faculty of Pharmaceutical Sciences, University of Tokyo, Hongo 7-3-1, Bunkyo-ku, Tokyo 113, Japan.
J. Tempe:	Institut des Sciences Végétales, CNRS, 91198-Gif sur Yvette and Institut National Agronomique Paris-Grignon, 75231-Paris, France.
G. H. N. Towers:	Dept. of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept. of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 35, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. *Annual Institutional Subscription Rates* (1995): North, Central and South America, U.S.$1766.00, Rest of World, £1185.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Published monthly plus additional issues in January, March, May, July, September and November (three volumes 1994). Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. *Microform Back Issues:* Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

Second class postage paid at NEWARK NJ and additional Mailing Offices. Postmaster send address corrections to *Phytochemistry*, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Copyright © 1994 Elsevier Science Ltd

CONTENTS OF VOLUME 36

Number 1

Growth and Metabolism

N-Acetyl-β-D-glucosaminidase from 'Golden Delicious' apples — 1 — Seong Yong Choi and K. C. Gross

Acyl-CoA synthetase activity associated with rapeseed lipid body membranes — 7 — J. A. Olsen and K. R. Lusk

Pectic polymer changes in nectarines during normal and abnormal ripening — 11 — S. Lurie, A. Levin, L. C. Greve and J. M. Labavitch

Incorporation and cell-cycle effects of short-chain fatty acids in pea root meristems — 19 — W. A. Tramontano, P. Gelardi and D. Jouve

Plant growth inhibiting α-pyrones from *Alpinia speciosa* — 23 — T. Fujita, H. Nishimura, K. Kaburagi and J. Mizutani

Germination and growth inhibitory sesquiterpene lactones and a flavone from *Tithonia diversifolia* — 29 — N. C. Baruah, J. C. Sarma, N. C. Barua, S. Sarma and R. P. Sharma

Ecological Biochemistry

A cyanoglucoside, sarmentosin, from the Magpie moth, *Abraxas grossulariata*, Geometridae: Lepidoptera — 37 — R. Nishida, M. Rothschild and R. Mummery

Limonoid antifeedants from Chinese *Melia azedarach* — 39 — M. Nakatani, Ruo Chun Huang, H. Okamura, H. Naoki and T. Iwagawa

Necrodane (1,2,2,3,4-pentamethylcyclopentane) derivatives in *Lavandula luisieri*, new compounds to the plant kingdom — 43 — M. I. García-Vallejo, M. C. García-Vallejo, J. Sanz, M. Bernabé and A. Velasco-Negueruela

Reduction of gramine concentration by γ-irradiation in seedlings of *Hordeum vulgare* var. Amaginijo — 47 — M. Satô and A. Hiraoka

Cell Culture and Biotechnology

Biotransformation of (+)- and (−)-fenchone by cultured cells of *Eucalyptus perriniana* — 55 — Y. Orihara and T. Furuya

Ginsenoside contents of plantlets regenerated from *Panax ginseng* embryoids — 61 — I. Asaka, I. Ii, M. Hirotani, Y. Asada and T. Furuya

The quinoline alkaloids camptothecin and 9-methoxycamptothecin from tissue cultures and mature trees of *Nothapodytes foetida* — 65 — G. Roja and M. R. Heble

Chemotaxonomy

Yield and composition of the essential oil of *Thymus serpylloides* subsp. *serpylloides* — 67 — M. L. Arrebola, M. C. Navarro, J. Jiménez and F. A. Ocaña

Chenopodene, marchantin P and riccardin G from the liverwort *Marchantia chenopoda* — 73 — M. Tori, M. Aoki and Y. Asakawa

ent-Rosa-5,15-diene, a diterpene hydrocarbon in *Cryptomeria* leaf oil — 77 — S. Nagahama, M. Tazaki, K. Nishimura and M. Tajima

Rhododendrol glycosides and phenyl glucoside esters from inner bark of *Betula pubescens* — 79 — Hefeng Pan and L. N. Lundgren

Plant Chemistry

The mechanism of the rearrangement of the neurotoxin β-ODAP to α-ODAP — 85 — A. De Bruyn, C. Becu, F. Lambein, N. Kebede, B. Abegaz and P. B. Nunn

Nitrile glucosides and rosmarinic acid, the histamine inhibitor from *Ehretia philippinensis*	91	L. R. Simpol, H. Otsuka, K. Ohtani, R. Kasai and K. Yamasaki
Sulphated xylogalactans from *Nothogenia fastigiata*	97	M. C. Matulewicz, H. H. Haines and A. S. Cerezo
erythro-Hentriacontane-6,8-diol and 11 other alkane-6,8-diols from *Carthamus tinctorius*	105	T. Akihisa, H. Oinuma, T. Tamura, Y. Kasahara, K. Kumaki, K. Yasukawa and M. Takido
Kaurane and trachylobane diterpenes from *Xylopia aethiopica*	109	G. G. Harrigan, V. da S. Bolzani, A. A. L. Gunatilaka and D. G. I. Kingston
Tilifolidione, a cycloheptanenaphthoquinone-type diterpenoid of abietanic origin from the roots of *Salvia tiliaefolia*	115	J. G. Luis, W. Quiñones and F. Echeverri
Terpenoids of *Alisma orientale* rhizome and the crude drug Alismatis rhizoma	119	Y. Nakajima, Y. Satoh, M. Katsumata (nee Ohtsuka), K. Tsujiyama (nee Mikoshiba), Y. Ida and J. Shoji
3,4-*seco*-Oleana-4(23),18-dien-3-oic acid and other triterpenes from *Euphorbia chamaesyce*	129	R. Tanaka, T. Ida, Y. Takaoka, S. Kita, W. Kamisako and S. Matsunaga
Bacoside A_3—a triterpenoid saponin from *Bacopa monniera*	133	S. Rastogi, R. Pal and D. K. Kulshreshtha
Oleanane glycosides from roots of *Glycyrrhiza yunnanensis*	139	K. Ohtani, R. Kasai, Chong-Ren Yang, K. Yamasaki, Jun Zhou and O. Tanaka
Oleanolic acid saponins from root-bark of *Aralia elata*	147	Y. Satoh, S. Sakai, M. Katsumata (nee Ohtsuka), M. Nagasao, M. Miyakoshi, Y. Ida and J. Shoji
7-Oxo-10α-cucurbitadienol from the seeds of *Trichosanthes kirilowii* and its anti-inflammatory effect	153	T. Akihisa, K. Yasukawa, Y. Kimura, M. Takido, W. C. M. C. Kokke and T. Tamura
Structure revision of cucurbitacin Q_1	159	H. Abd El-Fattah
Limonoids from *Atalantia zeylanica*	163	R. D. Bennett, S. Hasegawa and R. Y. Wong
Acylglucosylsterols from two *Aegiphila* species	167	S. G. Leitão, M. A. C. Kaplan and F. Delle Monache
Steroidal compounds from *Teucrium chamaedrys* subsp. *chamaedrys*	171	A. Ulubelen, G. Topcu and Ü. Kaya
Brassinosteroids and sterols from seeds of *Beta vulgaris*	175	J. Schmidt, C. Kuhnt and G. Adam
Withanolides from *Iochroma gesnerioides*	179	D. Alfonso and I. Kapetanidis
Configurational purity of capsaicin olefin	185	G. W. Kirby and G. T. Walker
Resorcinol derivatives and other components from *Ononis viscosa* subsp. *breviflora*	189	A. F. Barrero, E. Cabrera, I. Rodríguez and E. M. Fernández-Gallego
Phenolic ether lipids with an *n*-alkenylresorcinol moiety from a Bolivian strain of *Botryococcus braunii* (A race)	195	P. Metzger
Nor-neolignan and phenyl propanoid from *Zanthoxylum ailanthoides*	213	Wine-Show Sheen, Ian-Lih Tsai, Che-Ming Teng and Ih-Sheng Chen

Stem bark coumarins of *Citrus grandis* 217 Tian-Shung Wu, Shiow-Chyn Huang and Jeng-Shiow Lai

Furocoumarins from the rhizomes of *Dorstenia brasiliensis* 221 R. M. Kuster, R. R. Bernardo, A. J. R. Da Silva, J. P. Parente and W. B. Mors

Variations in the chemical shift of the 5-hydroxyl proton of isoflavones; two isoflavones from licorice 225 T. Fukai, J. Nishizawa and T. Nomura

Flavonol glycosides from *Cephalocereus senilis* 229 Qin Liu, Ming Liu, T. J. Mabry and R. A. Dixon

Four isoprenoid-substituted flavonoids from *Glycyrrhiza aspera* 233 T. Fukai, Lu Zeng, J. Nishizawa, Ying-Hua Wang and T. Nomura

Dimeric 2-quinolone alkaloid and antiplatelet aggregation constituents of *Zanthoxylum simulans* 237 Ih-Sheng Chen, Shwu-Jen Wu, Yuh-Chwen Lin, Ian-Lih Tsai, H. Seki, Feng-Nien Ko and Che-Ming Teng

N-Benzylisoquinoline alkaloids from *Ceratocapnos heterocarpa* 241 R. Suau, M. V. Silva, I. Ruiz and M. Valpuesta

Helibractinecine, a pyrrolizidine alkaloid from *Heliotropium bracteatum* 245 A. J. Lakshmanan and S. Shanmugasundaram

Short Reports

Filifolinol, a rearranged geranyl aromatic derivative from the resinous exudate of *Heliotropium filifolium* 249 R. Torres, L. Villarroel, A. Urzua, F. Delle Monache, G. Delle Monache and E. Gacs-Baitz

Columbaridione, a diterpenequinone from *Salvia columbariae* 251 J. G. Luis, T. A. Grillo, W. Quiñones and M. P. Kishi

Revision of the structure of alatinone to emodin 253 T. R. Kelly, Zhenkun Ma and Wei Xu

A prenylated flavanone from roots of *Maackia amurensis* subsp. *buergeri* 255 N. Matsuura, R. Nakai, M. Iinuma, T. Tanaka and K. Inoue

Book Reviews

Shikimic Acid: Metabolism and Metabolites: by E. Haslam 257 J. B. Harborne

Biotechnology in Agriculture and Forestry: edited by Y. P. S. Bajaj 257 J. B. Harborne

Pharmacognosie: Phytochimie, Plantes Médicinales: by J. Bruneton 258 G. Massiot

Inulin and Inulin-Containing Crops, Studies in Plant Science: edited by A. Fuchs 258 J. B. Harborne

Number 2

Growth and Metabolism

Gaseous nitric oxide stimulates guanosine-3′,5′-cyclic monophosphate (cGMP) formation in spruce needles 259 S. Pfeiffer, B. Janistyn, G. Jessner, H. Pichorner and R. Ebermann

Inhibition of enzymatic indole-3-acetic acid oxidation by phenols 263 S. N. Krylov, S. M. Krylova, I. G. Chebotarev and A. B. Chebotareva

Gibberellins in tulip bulb sprouts during storage 269 M. Rebers, E. Vermeer, E. Knegt, C. J. Shelton and L. H. W. van der Plas

Occurrence of a growth inhibitor, 3-hydroxy-β-ionone, in seven cultivars of *Phaseolus vulgaris* and its role in light-induced growth inhibition 273 H. Kato-Noguchi

The lectin from *Pleurotus ostreatus*: purification, characterization and interaction with a phosphatase	277	F. Conrad and H. Rüdiger
Partial purification and properties of lathyrine synthase	285	E. G. Brown and J. Mohamad
Synthesis and *Agrobacterium vir*-inducing activities of coniferyl alcohol β-glycosides	289	D. Delay, F. Dyé, J.-P. Wisniewski and F. Delmotte
Ecological Biochemistry		
Oryzalexin F, a diterpene phytoalexin from UV-irradiated rice leaves	299	H. Kato, O. Kodama and T. Akatsuka
Biosynthesis		
Biosynthesis of triterpenoids in cultured cells, and regenerated and wild plant organs of *Taraxacum officinale*	303	T. Akashi, T. Furuno, T. Takahashi and Shin-ichi Ayabe
Isolation and enzymatic synthesis of an ester alkaloid, (−)-3β-hydroxy-13α-tigloyloxylupanine, from *Cytisus scoparius*	309	K. Saito, H. Suzuki, Y. Yamashita and I. Murakoshi
Cell Culture and Biotechnology		
Stimulation of synthesis and release of swainosonine from transformed roots of *Swainsona galegifolia*	313	T. M. Ermayanti, J. A. McComb and P. A. O'Brien
A metabolite of 24-*epi*-brassinolide in cell suspension cultures of *Lycopersicon esculentum*	319	B. Schneider, A. Kolbe, A. Porzel and G. Adam
Production of anti-tumour-promoting furanonaphthoquinones in *Tabebuia avellanedae* cell cultures	323	S. Ueda, T. Umemura, K. Dohguchi, T. Matsuzaki, H. Tokuda, H. Nishino and A. Iwashima
Induction of a specific methyltransferase activity regulating berberine biosynthesis by cytokinin in *Thalictrum minus* cell cultures	327	M. Hara, S. Tanaka and M. Tabata
In vivo ^{15}N NMR studies of secondary metabolism in transformed root cultures of *Datura stramonium* and *Nicotiana tabacum*	333	Y.-Y. Ford, G. G. Fox, R. G. Ratcliffe and R. J. Robins
Chemotaxonomy		
Epicuticular waxes of *Sedum* series *Rupestria*	341	J. F. Stevens, H. 't Hart, A. J. A. Pouw, A. Bolck and J. H. Zwaving
Leaf wax alkanes in the genus *Coincya*	349	J. Vioque, J. Pastor and E. Vioque
Variations in flavonoid sulphate patterns in relation to photosynthetic types of five *Flaveria* species	353	A. Hannoufa, R. H. Brown and R. K. Ibrahim
1-Hydroxytropacocaine: an abundant alkaloid of *Erythroxylum novogranatense* var. *novogranatense* and var. *truxillense*	357	J. M. Moore, P. A. Hays, D. A. Cooper, J. F. Casale and J. Lydon
Plant Chemistry		
Isolation of the chlorophyll-related pigment isochlorin-e_4 from the tropical red alga *Dasya pedicellata*	361	W. P. Frankmolle and W. Fenical
Stoloniferins I–VII, resin glycosides from *Ipomoea stolonifera*	365	N. Noda, N. Takahashi, T. Kawasaki, K. Miyahara and Chong-Ren Yang
Iridoid glucosides in *Zaluzianskya capensis*	373	S. Damtoft
Depresteroside, a mixed iridoid–secoiridoid structure from *Gentiana depressa*	377	A. J. Chulia, J. Vercauteren and M. Kaouadji
Tetrahydroisoquinoline-monoterpene glucosides from *Alangium lamarckii* and *Cephaelis ipecacuanha*	383	A. Itoh, T. Tanahashi, N. Nagakura and H. Nayeshiro
Sesquiterpene lactones from *Tanacetum argenteum*	389	N. Gören, E. Tahtasakal, J. M. Pezzuto, G. A. Cordell, B. Schwarz and P. Proksch
2,3-Secogermacranolides and germacranolides from *Pyrethrum santolionoides*	393	A. A. Mahmoud, A. A. Ahmed, M. Iinuma and T. Tanaka

A germacranolide from *Blainvillea latifolia*	399	D. D. Sawaikar, S. R. Rojatkar and B. A. Nagasampagi
Diterpenoids from *Pterodon polygalaeflorus*	403	A. M. Campos, E. R. Silveira, R. Braz-Filho and T. C. Teixeira
Rearranged taxanes from *Taxus baccata*	407	G. Appendino, G. Cravotto, R. Enriu, J. Jakupovic, P. Gariboldi, B. Gabetta and E. Bombardelli
Triterpenoids from the aerial parts of *Salvia montbretii*	413	A. Ulubelen, G. Topcu, H. Lotter, H. Wagner and C. Eriş
A tetracyclic triterpenoid from *Garuga pinnata*	417	G. Venkatraman, P. S. Thombare and B. K. Sabata
Bitter principles of *Luffa echinata*	421	M. U. Ahmad, M. E. Huq and R. K. Sutradhar
Iristectorenes A and C–G, monocyclic triterpene esters from *Iris tectorum*	425	K. Seki, T. Tomihari, K. Haga and R. Kaneko
Iristectorene B, a monocyclic triterpene ester from *Iris tectorum*	433	K. Seki, T. Tomihari, K. Haga and R. Kaneko
A bidesmosidic triterpene glycoside from the roots of *Symphytum officinale*	439	M. Noorwala, F. V. Mohammad, V. U. Ahmad and B. Sener
Mabiosides C–E: triterpenoid saponins from the bark of *Colubrina elliptica*	445	A. Oulad-Ali, D. Guillaume, B. Weniger, Yulin Jiang and R. Anton
Triterpenoid saponins from *Bellium bellidioides*	449	T. Schöpke, M. I. H. Agha, V. Wray and K. Hiller
Minor desacylsaponins from the corms of *Crocosmia masoniorum*	455	Y. Asada, M. Ikeno and T. Furuya
(24*S*)-3β-Hydroxy-ergost-5-en-6-one from *Cyttaria johowii*	459	W.-R. Abraham and G. Schmeda-Hirschmann
Steroidal saponins from the bulbs of *Lilium speciosum* x *L. nobilissimum* 'Star Gazer' and their antitumour-promoter activity	463	O. Nakamura, Y. Mimaki, H. Nishino and Y. Sashida
Furostanosides from *Asparagus filicinus* roots	469	S. C. Sharma and N. K. Thakur
Benzophenones from *Clusia ellipticifolia*	473	E. Martinez Olivares, J. Gonzalez Gonzalez and F. Delle Monache
1-Hydroxy-2,5,8-trimethyl-9-fluorenone from *Tripterygium wilfordii*	477	Xiao Y. Wu, Guo W. Qin, Da J. Fan and Ren S. Xu
Purified tannins from Quebracho colorado	481	W. Streit and D. Fengel
Lignans and other compounds from the Mixe Indian medicinal plant *Hyptis verticillata*	485	M. Kuhnt, H. Rimpler and M. Heinrich
Neolignans from bark and leaves of *Ocotea porosa*	491	J. M. David, M. Yoshida and O. R. Gottlieb
Antioxidant xanthones from *Garcinia subelliptica*	501	H. Minami, M. Kinoshita, Y. Fukuyama, M. Kodama, T. Yoshizawa, M. Sugiura, K. Nakagawa and H. Tago
Highly oxygenated bioactive flavones from *Tamarix*	507	V. S. Parmar, K. S. Bisht, S. K. Sharma, R. Jain, P. Taneja, S. Singh, O. Simonsen and P. M. Boll

Flavonoids and a proanthocyanidin from rhizomes of *Selliguea feei* 513 Nam-In Baek, E. J. Kennelly, L. B. S. Kardono, S. Tsauri, K. Padmawinata, D. D. Soejarto and A. D. Kinghorn

Alkaloids from *Dactylicapnos torulosa* 519 G. Rücker, E. Breitmaier, G.-L. Zhang and R. Mayer

Quinoline alkaloids from *Orixa japonica* 525 S. Funayama, K. Murata and S. Nozoe

Short Reports

α-Truxillic acid from *Halimium verticillatum* 529 J. G. Urones, I. S. Marcos, D. Diez Martin, J. M. L. Rodilla, D. I. M. Dinis de Mendoça and D. J. Williams

Prenylated isocoumarins from *Bunium paucifolium* 531 G. Appendino, H. C. Özen and J. Jakupovic

Absolute configuration of the lignan oleiferins from *Virola oleifera* 533 A. M. A. P. Fernandes, L. E. S. Barata and P. H. Ferri

A xanthine alkaloid from the leaves of *Bosistoa floydii* 535 A. A. Auzi, A. I. Gray, T. G. Hartley, R. D. Waigh and P. G. Waterman

Number 3

Growth and Metabolism

Structure and metabolism of 7-β-D-glucopyranosyladenine—the product of a cytokinin-sparing reaction? 537 T. W. Baumann, B. H. Schulthess, A. Linden and P. Rüedi

Invertase inhibitor in tomato fruit 543 R. Pressey

Lipoxygenase activity in ripening tomato fruit pericarp tissue 547 P. M. Ealing

Purification and characterization of a protein kinase from dwarf pea epicotyls 553 A. I. Ansari and R. C. Sachar

Molecular aspects of activation mechanisms of CF_1 559 M. J. Iraburu, M^. J. Lopez-Zabalza, M. Saenz and E. Santiago

Tonoplast H^+-ATPase of mature pear fruit 565 M. Hosaka, Y. Kanayama, K. Shiratake and S. Yamaki

Tonoplast ATPase from peanut seedlings 569 S. Sen and V. Sharma

Substrates of diacylglycerol acyltransferase in microsomes from developing oil seeds 573 E. Wiberg, E. Tillberg and S. Stymne

Inhibitory effects of chlorogenic acids on linoleic acid peroxidation and haemolysis 579 M. Ohnishi, H. Morishita, H. Iwahashi, S. Toda, Y. Shirataki, M. Kimura and R. Kido

Synthesis and biological activity of 28-homobrassinolide and analogues 585 T. C. McMorris, P. A. Patil, R. G. Chavez, M. E. Baker and S. D. Clouse

Accumulation of flavonoids during leaf development in *Cistus laurifolius* 591 T. Vogt and P. G. Gülz

Ecological Biochemistry

Identification of retinal in higher plants: is a rhodopsin-like protein the blue light receptor? 599 R. Lorenzi, N. Ceccarelli, B. Lercari and P. Gualtieri

Seasonal variation of lipids and fatty acids from tree-growing lichens of the genus *Physcia* 601 V. M. Dembitsky, T. Rezanka and I. A. Bychek

An acylated delphinidin glycoside in the blue flowers of *Evolvulus pilosus* 609 K. Toki, N. Saito, K. Kawano, Tin Sen Lu, A. Shigihara and T. Honda

The anthocyanin responsible for purplish blue flower colour of *Aconitum chinense* 613 K. Takeda, S. Sato, H. Kobayashi, Y. Kanaitsuka, M. Ueno, T. Kinoshita, H. Tazaki and T. Fujimori

Biosynthesis

Glucosylation of C_{19}- and C_{21}-hydroxysteroids by soluble and membrane-bound glucosyltransferase from oat (*Avena sativa*) seedlings 617 M. Kalinowska

Identification of *Parthenium argentatum* rubber particle proteins immunoprecipitated by an antibody that specifically inhibits rubber transferase activity 623 D. J. Siler and K. Cornish

Biosynthesis of polyunsaturated lipids in the diatom, *Phaeodactylum tricornutum* 629 T. Arao, T. Sakaki and M. Yamada

Cadinanes from *Artemisia annua* that may be intermediates in the biosynthesis of artemisinin 637 G. D. Brown

Cell Culture and Biotechnology

Effect of gibberellic acid on berberine and tyrosine accumulation in *Coptis japonica* 643 Y. Hara, T. Laugel, T. Morimoto and Y. Yamada

Identification of unnatural phaseic acid as a metabolite derived from exogenously added (−)-abscisic acid in a maize cell suspension culture 647 J. J. Balsevich, S. R. Abrams, N. Lamb and W. A. König

Monoterpene cyclases in grand fir callus cultures: modulation by elicitors and growth regulators 651 E. Lewinsohn, E. Worden and R. Croteau

Biotransformation of *ent*-beyerenones by *Rhizopus nigricans* and *Curvularia lunata* cultures 657 A. García-Granados, A. Guerrero, A. Martínez, A. Parra and J. M. Arias

Astragalosides from hairy root cultures of *Astragalus membranaceus* 665 M. Hirotani, Yu Zhou, Hekai Lui and T. Furuya

Pregnane-type metabolites of brassinosteroids in cell suspension cultures of *Ornithopus sativus* 671 A. Kolbe, B. Schneider, A. Porzel, B. Voigt, G. Krauss and G. Adam

Bibenzyl derivatives from the liverwort *Ricciocarpos natans* 675 S. Kunz and H. Becker

Dauricine production in cultured roots of *Menispermum dauricum* 679 Y. Sugimoto, A. Yoshida, S. Uchida, S. Inanaga and Y. Yamada

Chemotaxonomy

Acetylenic fatty acids of the Dicranaceae 685 V. M. Dembitsky and T. Rezanka

Fatty acid composition of some marine microalgae 691 M.-O. Servel, C. Claire, A. Derrien, L. Coiffard and Y. De Roeck-Holtzhauer

Sesquiterpenes and other constituents from Chilean Mutisieae 695 M. Bittner, M. Silva, Z. Rozas, F. Papastergiou and J. Jakupovic

The distribution of labdane diterpenes in the Zingiberaceae of Malaysia 699 H. M. Sirat, D. Masri and A. A. Rahman

Plant Chemistry

Acetylenic and terpenoid constituents of *Boltonia asteroides* 703 J. G. Díaz, B. Barba and W. Herz

Monoterpenoid and phenylethanoid glycosides from *Ligustrum pedunculare* 709 Zheng-Dan He, S. Ueda, M. Akaji, T. Fujita, K. Inoue and Chong-Ren Yang

A sesquiterpene and other constituents from *Erigeron breviscapus* 717 Jianmin Yue, Zhongwen Lin, Dezu Wang and Handong Sun

Sesquiterpene lactones from *Inula salsoloides*	721	Bing-Nan Zhou, Nai-Sheng Bai, Long-Ze Lin and G. A. Cordell
Sesquiterpene lactones and dihydroflavonols from *Andryala* and *Urospermum* species	725	J. A. Marco, J. F. Sanz-Cervera, A. Yuste and M. C. Oriola
Pimarane diterpenes from *Kaempferia pulchra*	731	P. Tuchinda, J. Udchachon, V. Reutrakul, T. Santisuk, B. W. Skelton, A. H. White and W. C. Taylor
Rearranged isopimarenes and other diterpenoids from *Satureja gilliesii*	735	C. Labbé, M. Castillo, F. Fainia, J. Coll and J. D. Connolly
Diterpenoids from *Salvia coulteri*	739	B. Frontana, J. Cárdenas and L. Rodríguez-Hahn
Di- and triterpenoids of *Salvia pomifera*	743	G. Topcu, A. Ulubelen and C. Eriş
D: A-friedo-oleanane triterpenes from the roots of *Acanthothamnus aphyllus*	747	R. Estrada, J. Cárdenas, B. Esquivel and L. Rodríguez-Hahn
Molluscicidal saponins from a Zimbabwean strain of *Phytolacca dodecandra*	753	S. T. Thiilborg, S. B. Christensen, C. Cornett, C. E. Olsen and E. Lemmich
An anthraquinone derivative from *Cassia italica*	761	M. H. Kazmi, A. Malik, S. Hameed, N. Akhtar and S. N. Ali
Anthraquinones from *Knoxia valerianoides*	765	Zhu Zhou, Shan-Hao Jiang, Da-Yuan Zhu, Long-Ze Lin and G. A. Cordell
Acnistins F–H, withanolides from *Dunalia solanacea*	769	J. G. Luis, F. Echeverri and A. G. González
Determination of etherified hydroxycinnamic acids in cell walls of grasses	773	T. B. T. Lam, K. Iiyama and B. A. Stone
Novel angular pyranocoumarins from *Boronia lanceolata*	777	M. Ahsan, A. I. Gray, G. Leach and P. G. Waterman
Oligomeric and polymeric procyanidins from grape seeds	781	C. Prieur, J. Rigaud, V. Cheynier and M. Moutounet
Lignans and an aromatic acid from *Cinnamomum philippinense*	785	Tian-Shung Wu, Yann-Lii Leu, Yu-Yi Chan, Sheu-Meei Yu, Che-Ming Teng and Jeng-De Su
Neolignans and an isoprenylated phenol from *Piper clarkii*	789	S. Jensen, C. E. Olsen, O. D. Tyagi, P. M. Boll, F. A. Hussaini, S. Gupta, K. S. Bisht and V. S. Parmar
NMR spectral analysis of polyphenols from *Punica granatum*	793	M. A. M. Nawwar, S. A. M. Hussein and I. Merfort
Dihydrochalcones from the aerial parts of *Boronia inconspicua*	799	M. Ahsan, J. A. Armstrong and P. G. Waterman
Prenylstilbenes and prenylflavanones from *Schoenus nigricans*	803	A. M. Dawidar, J. Jakupovic, M. Abdel-Mogib and I. A. Mashaly
Isoflavones from *Garcinia nervosa*	807	M. Ilyas, M. Kamil, M. Parveen and M. S. Khan
Short Reports		
Dihydroabscisic alcohol from *Averrhoa carambola* fruit	811	A. Lutz and P. Winterhalter

Tocopheryl esters from *Nymphea alba* and *Nuphar luteum* 813 G. Klink, A. Buchs and F. O. Gülacar

Hydroxylated unsaturated fatty acid from cultures of a *Filoboletus* species 815 B. Simon, T. Anke and O. Sterner

De-*O*-methylracemosol: a tetracyclic 2,2-dimethylchroman from the roots of *Bauhinia racemosa* 817 P. Prabhakar, R. Gandhidasan, P. V. Raman, N. R. Krishnasamy and S. Nanduri

Number 4

Growth and Metabolism

Short-term effect of nitrate on carbon metabolism of two sugar cane cultivars differing in their biomass production 819 I. Pelaez Abellan, R. de Armas Urguiza, M.-H. Valadier and M.-L. Champigny

Biotransformation of 1-naphthalene acetic acid by the ectomycorrhizal fungus *Pisolithus arhizus* 825 M. S. C. Pedras, B. J. McAfee and M. S. Lapp

A new assay for quantifying endo-β-D-mannanase activity using Congo Red dye 829 B. Downie, H. W. M. Hilhorst and J. D. Bewley

Sugar accumulation in tomato and partial purification of buffer-insoluble invertase 837 P. Bucheli and S. Dévaud

Effect of grain location on the panicle on activities involved in starch synthesis in rice endosperm 843 T. Umemoto, Y. Nakamura and N. Ishikura

Bacterial conversion of the fungal ascopyrone T to 2(*S*)-dihydro-ascopyrone T (haliclonol) 849 G. Deffieux, J. Vercauteren, M.-A. Baute, A. Neveu and R. Baute

Fatty acid variations in the lichen, *Xanthoria parietina* 853 R. Piervittori, F. Alessio and M. Maffei

Effects of potential signal transduction antagonists on phytoalexin accumulation in tobacco 857 C. L. Preisig and R. A. Moreau

Ecological Biochemistry

Effect of phenolic compounds in humus on the natural regeneration of spruce 865 F. Pellissier

Linear furanocoumarins and graveolone from the common herb parsley 869 R. C. Beier, G. W. Ivie and E. H. Oertli

Oviposition stimulant of a Zeryntiine swallowtail butterfly, *Luehdorfia japonica* 873 R. Nishida

Coumarins and an indole alkaloid from *Pamburus missionis* 879 V. Kumar, H. N. K. Bulumulla, W. R. Wimalasiri and J. Reisch

Alkaloid distribution in two species of *Lupinus* in central British Columbia 883 W. Majak, W. J. Keller, Z. Duan, D. Munro, R. A. Smith, A. M. Davies and R. T. Ogilvie

Biosynthesis

Substrate specificity of a glucosyltransferase and an *N*-hydroxylase involved in the biosynthesis of cyclic hydroxamic acids in Gramineae 887 V. Leighton, H. M. Niemeyer and L. M. V. Jonsson

2H-1,4-Benzoxazin-3(4H)-one, an intermediate in the biosynthesis of cyclic hydroxamic acids in maize 893 P. Kumar , D. E. Moreland and W. S. Chilton

Triacylglycerol synthesis in developing kernels of groundnut as influenced by aliphatic alcohols 899 P. Sharma and C. P. Malik

The biotransformation of the diterpenoid, sclareol, by *Cephalosporium aphidicola* 903 J. R. Hanson, P. B. Hitchcock, H. Nasir and A. Truneh

Incorporation of acetate and cholesterol into 20-hydroxyecdysone by hairy root clone of *Ajuga reptans* var. *atropurpurea* 907 M. Nagakari, T. Kushiro, T. Matsumoto, N. Tanaka, K. Kakinuma and Y. Fujimoto

Biosynthesis of phenylquinolizidine alkaloids by *Heimia salicifolia* 911 A. Rother and J. M. Edwards

Cell Culture and Biotechnology
Volatile constituents of wild and *in vitro* cultivated *Gloeophyllum odoratum* 917 K. Kahlos, J. L. J. Kiviranta and R. V. K. Hiltunen

Chemotaxonomy
Limonoids in seeds of three *Citrus* hybrids related to *Citrus ichangensis* 923 M. A. Berhow, M. Omura, H. Ohta, Y. Ozaki and S. Hasegawa

Iridoids and verbascoside in Callitrichaceae, Hippuridaceae and Lentibulariaceae 927 S. Damtoft, S. R. Jensen, J. Thorsen, P. Mølgård and C. E. Olsen

Differences in flavonoid patterns between genera within the Velloziaceae 931 C. A. Williams, J. B. Harborne, J. Greenham and J. Eagles

Flavonoids in frond exudates of *Pityrogramma tartarea* 941 M. Iinuma, T. Tanaka and F. Asai

Plant Chemistry
Oligopeptides from *Aster tataricus* 945 Dongliang Cheng, Yu Shao, R. Hartman, E. Roder and K. Zhao

Two methoxybutanolides from *Lindera glauca* 949 K. Seki, T. Sasaki, K. Haga and R. Kaneko

Raimondalone, a sesquiterpene from a cotton interspecific hybrid 953 R. D. Stipanovic, Hyeong L. Kim, D. W. Altman, A. A. Bell and R. J. Kohel

Antimicrobial sesquiterpenes from *Prostanthera* aff. *melissifolia* and *P. rotundifolia* 957 J. E. Dellar, M. D. Cole, A. I. Gray, S. Gibbons and P. G. Waterman

cis-Calamenene-related sesquiterpenoids from *Cupressus bakeri* foliage 961 Young-Kyoon Kim, L. G. Cool and E. Zavarin

Iridoid glycosides from *Phlomis younghusbandii* roots 967 R. Kasai, M. Katagiri, K. Ohtani, K. Yamasaki, Chong-Ren Yang and O. Tanaka

Terpenoids from *Salvia sclarea* 971 A. Ulubelen, G. Topcu, C. Eriş, U. Sönmez, M. Kartal, S. Kurucu and C. Bozok-Johansson

Phenylbutanoid and taxane-like metabolites from needles of *Taxus brevifolia* 975 A. Chu, M. Furlan, L. B. Davin, J. Zajicek, G. H. N. Towers, C. M. Soucy-Breau, S. J. Rettig, R. Croteau and N. G. Lewis

Taxol analogues from the roots of *Taxus* × *media* 987 L. Barboni, P. Gariboldi, E. Torregiani, G. Appendino, B. Gabetta and E. Bombardelli

Constituents of *Werneria ciliolata* and their *in vitro* anti-HIV activity 991 S. Piacente, R. Aquino, N. de Tommasi, C. Pizza, O. Lock de Ugaz, H. Chavez Orellana and N. Mahmood

Two triterpenoids from *Gentiana tibetica* 997 Ying-Jun Zhang and Chong-Ren Yang

A tetranortriterpenoid from the bark of *Entandrophragma utile* 1001 W. M. Daniewski, M. Gumułka, W. Danikiewicz, P. Gluziński, J. Krajewski, J. Sitkowski, E. Błoszyk, B. Drożdż, U. Jacobsson, T. Norin and F. Szafrański

Steroidal prosapogenins from *Dioscorea olfersiana* 1005 M. Haraguchi, A. P. Zaccarias Dos Santos, M. C. M. Young and E. P. Chu

Saponins conjugated with 2,3-dihydro-2,5-dihydroxy-6-methyl-4*H*-pyran-4-one from *Phaseolus coccineus* 1009 Y. Yoshiki, Jin-Hyeong Kim and K. Okubo

Mechanism of oxidative coupling of coniferyl alcohol 1013 P. Hapiot, J. Pinson, P. Neta, C. Francesch, F. Mhamdi, C. Rolando and S. Schneider

Scoloposides A–E, a series of 2-glucopyranosyloxy-5-hydroxybenzyl alcohol derivatives from *Scolopia spinosa* 1021 K. Shaari and P. G. Waterman

Identification of (+)-gallocatechin as a bio-antimutagenic compound in *Psidium guava* leaves 1027 T. Matsuo, N. Hanamure, K. Shimoi, Y. Nakamura and I. Tomita

A lignan from needles of Himalayan *Taxus baccata* 1031 B. Das, M. Takhi, K. V. N. S. Srinivas and J. S. Yadav

Gall polyphenolics of *Tamarix aphylla* 1035 M. A. M. Nawwar and S. A. M. Hussein

4′-Hydroxy-3,6-dimethoxy-6″,6″-dimethylchromeno(7,8,2″,3″)-flavone from *Citrus reticulata* cv *blanco* 1039 V. K. Saxena and P. Shrivastava

Quercetin 3-[triacetylarabinosyl(1 → 6)galactoside] and chromones from *Calluna vulgaris* 1043 A. Simon, A. J. Chulia, M. Kaouadji and C. Delage

Prenylated isoflavanone from the roots of *Erythrina sigmoidea* 1047 A. E. Nkengfack, T. W. Vouffo, Z. T. Fomum, M. Meyer, O. Bergendorff and O. Sterner

... naline, an unusual aporphine alkaloid, from *Stephania venosa* 1053 J. Banerji, A. Chatterjee, A. Patra, P. Bose, R. Das (née Chakrabarti), B. Das, M. Shamma and B. Tantisewie

5′-*O*-Demethyl-8-*O*-methyl-7-*epi*-dioncophylline A and its 'regularly' configurated atropisomer from *Triphyophyllum peltatum* 1057 G. Bringmann, M. Rübenacker, W. Koch, D. Koppler, T. Ortmann, M. Schäffer and L. Aké Assi

... tolochic acids, aristolactam alkaloids and amides from *Aristolochia kankauensis* 1063 Tian-Shung Wu, Li-Fei Ou and Che-Ming Teng

Huperserratinine from *Huperzia serrata* 1069 Da-Yuan Zhu, Shang-Hao Jiang, Mei-Fen Huang, Long-Ze Lin and G. A. Cordell

Two carbazole alkaloids from *Murraya koenigii* 1073 J. Reisch, A. C. Adebajo, V. Kumar and A. J. Aladesanmi

Short Reports

A sesquiterpene ether from *Laurencia obtusa* 1077 S. N. Ayyad, J. Jakupovic and M. Abdel-Mogib

A farnesyl acetophenone derivative from *Ferula communis* var. *genuina* 1079 D. Lamnaouer, F. B. Khalti, M.-T. Martin and B. Bodo

The monoterpene 9-hydroxythymol from *Bahia schaffneri* var. *aristata* 1081 A. L. Pérez and A. Romo De Vivar

Prenylated flavanones from *Dalea elegans* 1083 M. Caffaratti, M. G. Ortega, M. E. Scarafia, L. Ariza Espinar and H. R. Juliani

5,7,5′-Trihydroxy-3,6,2′,4′-tetramethoxyflavone from *Eupatorium buniifolium* 1085 L. Muschietti, V. Martino, G. Ferraro and J. Coussio

5,7,2′,5′-Tetrahydroxydihydroflavonol 3-rhamnoside from *Plinia pinnata* 1087 J. Mendez, M. Hasegawa, A. R. Bilia and I. Morelli

An acylated flavone *C*-glycoside from *Glycyrrhiza eurycarpa* 1089 Ming Liu, Qin Liu, Yong-Long Liu, Cui-Ying Hou and T. J. Mabry

Number 5

Announcements ix

Foreword 1091 V. De Luca and J. B. Harborne

Review Article Number 89
2-Oxoglutarate-dependent dioxygenase and related enzymes: biochemical characterization 1093 E. De Carolis and V. De Luca

Review Article Number 90
Recent advances in the flavonoid chemistry of African plants 1109 N. A. M. Saleh

Growth and Metabolism
Purification of an apple polyphenoloxidase isoform resistant to SDS–proteinase K digestion 1117 L. Marquès, A. Fleuriet, J.-C. Cleyet-Marel and J.-J. Macheix

Ubiquitin-mediated degradation of tryptophan decarboxylase from *Catharanthus roseus* 1123 J. A. Fernandez and V. De Luca

Spinach carbonic anhydrase: identification of two immunologically related protein species 1129 N. Daigle, P. A. Rogers and P. M. Charest

Partial purification and characterization of *Arabidopsis thaliana* UDPG: thiohydroximate glucosyltransferase 1133 L. Guo and J. E. Poulton

Multiple forms of flavonol *O*-glucosyltransferases in young leaves of *Euonymus alatus* f. *ciliato-dentatus* 1139 N. Ishikura and Zhi-qing Yang

Protein kinase-catalysed protein phosphorylation in rice leaves 1147 T. Masuda, S. Komatsu and H. Hirano

Inhibition of wheat embryo calcium-dependent protein kinase by acridines and azaacridines 1153 Qingping Chen, L. W. Deady and G. M. Polya

Inactivation of cell wall acidic peroxidase isoenzymes during the oxidation of coniferyl alcohol in *Lupinus* 1161 M. A. Ferrer and A. Ros Barceló

Affinity purification and properties of polyphenoloxidase from *Solanum tuberosum* 1165 S. U. Pathak and V. S. Ghole

Inhibition of 5-aminolevulinic acid dehydratase activity by gabaculine 1169 P. Kedy, P. Bruyant and A. P. Balangé

Phospholipid and free sterol composition of hypocotyl plasma membranes of ageing Mung bean seedlings 1177 V. M. Stallaert and J. M. C. Geuns

Ecological Biochemistry
(Delphinidin 3-gentiobiosyl) (apigenin 7-glucosyl) malonate from the flowers of *Eichhornia crassipes* 1181 K. Toki, N. Saito, K. Iimura, T. Suzuki and T. Honda

Acicerone: an isoflavone from *Astragalus cicer* 1185 A. W. Lenssen, S. S. Martin, C. E. Townsend and B. Hawkins

Biosynthesis

Pigmentation patterns of modern rose mutants throw light on the flavonoid pathway in *Rosa* × *hybrida* 1189 J.-P. Biolley, M. Jay and G. Forkmann

The involvement of hydrogen peroxide in the production of volatile halogenated compounds by *Meristiella gelidium* 1197 J. Collén, A. Ekdahl, K. Abrahamsson and M. Pedersén

Formation of farnesyl oleate and three other farnesyl fatty acid esters by cell-free extracts from *Botryococcus braunii* B race 1203 H. Inoue, T. Korenaga, H. Sagami, T. Koyama, H. Sugiyama and K. Ogura

Biosynthesis and transformation of tremorgenic indole-diterpenoids by *Penicillium paxilli* and *Acremonium lolii* 1209 P. G. Mantle and C. M. Weedon

Canadine synthase from *Thalictrum tuberosum* cell cultures catalyses the formation of the methylenedioxy bridge in berberine synthesis 1219 M. Rueffer and M. H. Zenk

Culture and Biotechnology

Glycosylated flavonoids in callus cultures of *Citrus aurantifolia* 1225 M. A. Berhow, R. D. Bennett, S. M. Poling, S. Vannier, T. Hidaka and M. Omura

Chemotaxonomy

Flavonoids of *Umbellularia californica* 1229 H. A. Neville and B. A. Bohm

Eicosanoids from the tropical red alga *Murrayella periclados* 1233 M. W. Bernart and W. H. Gerwick

Seasonal and tissue variation in taxane concentrations of *Taxus brevifolia* 1241 N. C. Vance, R. G. Kelsey and T. E. Sabin

Plant Chemistry

Two limonoids from *Chisocheton microcarpus* 1245 P. J. Gunning, L. B. Jeffs, M. B. Isman and G. H. N. Towers

Ellagitannins in European oak wood: polymerization during wood ageing 1249 J. Klumpers, A. Scalbert and G. Janin

Ellagitannins in woods of sessile oak and sweet chestnut dimerization and hydrolysis during wood ageing 1253 C. Viriot, A. Scalbert, C. L. M. Hervé du Penhoat and M. Moutounet

Prenylated flavonoids in the roots of yellow lupin 1261 S. Tahara, Y. Katagiri, J. L. Ingham and J. Mizutani

Production of an isonitrile antibiotic by an UV-induced mutant of *Trichoderma harzianum* 1273 J. L. Faull, K. A. Graeme-Cook and B. L. Pilkington

Cembratrienols and other components of white bark pine (*Pinus heldreichii*) oleoresin 1277 W. Lange, T. S. Janežić and M. Spanoudaki

Constituents of *Tanacetum densum* subsp. *eginense* 1281 N. Gören and E. Tahtasakal

Bakerol: an unusual nor-acorane hemiketal from *Cupressus bakeri* foliage 1283 L. G. Cool, Young-Kyoon Kim, E. Zavarin and G. E. Ball

Antibacterial trichorabdal diterpenes from *Rabdosia trichocarpa* 1287 K. Osawa, H. Yasuda, T. Maruyama, H. Morita, K. Takeya and H. Itokawa

An oleanane acid from *Alibertia edulis* 1293 C. B. Brochini, D. Martins, N. F. Roque and V. da S. Bolzani

Acnistins C and D, withanolides from *Dunalia solanacea* 1297 J. G. Luis, F. Echeverri and A. G. González

Protolimonoid and lignans from *Zanthoxylum petiolare* 1303 M. S. P. Arruda, J. B. Fernandes, P. C. Vieira, M. F. Das G. F. da Silva and J. R. Pirani

Ergostane glycosides from *Petunia hybrida*	1307	K. Shingu, H. Fujii, K. Mizuki, I. Ueda, S. Yahara and T. Nohara
Phomapyrones: three metabolites from the blackleg fungus	1315	M. S. C. Pedras, V. M. Morales and J. L. Taylor
Pigments from the cultured lichen mycobionts of *Graphis scripta* and *G. desquamescens*	1319	H. Miyagawa, N. Hamada, M. Sato and T. Ueno
Isoswertiajaponin 2″-*O*-β-arabinopyranoside and other flavone-*C*-glycosides from the Antarctic grass *Deschampsia antarctica*	1323	R. F. Webby and K. R. Markham
Alkaloids of *Stephania bancroftii*	1327	J. P. Bartley, L. T. Baker and C. F. Carvalho
Two minor alkaloids from roots of *Stemona tuberosa*	1333	Wen Han Lin, Li Ma, Meng Shen Cai and R. A. Barnes
Short Reports		
15α-Hydroxy-24-methylenelanosta-7,9(11)-dien-3-one from the stem bark of *Desmos longiflorus*	1337	J. D. Connolly, M. D. E. Haque, C. M. Hasan and M. S. Hossain
Book Reviews		
Biology and Conservation of the Monarch Butterfly: edited by S. B. Malcolm and M. P. Zalucki	1339	J. B. Harborne
Xanthomonas: edited by J. G. Swings and E. L. Civerole	1339	J. B. Harborne
The Biology of Fungi: by C. T. Ingold and H. J. Hudson	1339	J. B. Harborne
Reproduction in Fungi, Genetical and Physiological Aspects: by C. G. Elliott	1339	J. B. Harborne
Phytochemistry and Agriculture: edited by T. A. van Beek and H. Breteler	1340	J. B. Harborne
Volatile Oil Crops: edited by R. K. M. Hay and P. G. Waterman	1340	J. D. Ross

Number 6

Announcement	ix	
Growth and Metabolism		
A caffeoyl–fatty acid–glycerol ester from wax associated with green cotton fibre suberin	1343	A. Schmutz, T. Jenny and U. Ryser
Acetohydroxymate induced nitrogen deficiency in N_2-fixing pigeon pea	1347	D. Sreenivas Reddy, G. Reddy and H. Polasa
Characterization of purified γ-glutamyl transpeptidase in onions: evidence for *in vivo* role as a peptidase	1351	J. E. Lancaster and M. L. Shaw
Biosynthesis of theobromine and caffeine in developing leaves of *Coffea arabica*	1359	N. Fujimori and H. Ashihara
Binding of berberine to a membrane fraction from *Coptis* cells	1363	H. Sato, T. Tanaka, S. Tanaka and M. Tabata
Ecological Biochemistry		
Potential allelopathic lupane triterpenes from bioactive fractions of *Melilotus messanensis*	1369	F. E. Macías, A. M. Simonet and M. Dolores Esteban
An antifungal γ-pyrone and xanthones with monoamine oxidase inhibitory activity from *Hypericum brasiliense*	1381	L. Rocha, A. Marston, M. A. C. Kaplan, H. Stoeckli-Evans, U. Thull, B. Testa and K. Hostettmann
Antimicrobial isoflavans from *Astragalus* species	1387	N. A. El-Sebakhy, A. M. Asaad, R. M. Abdallah, S. M. Toaima, M. S. Abdel-Kader and F. R. Stermitz

Biosynthesis

Biotransformation of some stemodane diterpenoids by *Cephalosporium aphidicola* 1391 J. R. Hanson, P. B. Reese, J. A. Takahashi and M. R. Wilson

The biotransformation by *Cephalosporium aphidicola* of some aphidicolanes substituted on ring A 1395 J. R. Hanson and A. G. Jarvis

Biosynthesis of ecdysone and ecdysone phosphates in spinach 1399 R. J. Grebenok, S. Venkatachari and J. H. Adler

Enzymic 12-hydroxylation and 12-*O*-methylation of dihydrochelirubine in dihydromacarpine formation by *Thalictrum bulgaricum* 1409 L. Kammerer, W. De-Eknamkul and M. H. Zenk

Cell Culture and Biotechnology

Phytoalexin induction in green pepper cell cultures treated with arachidonic acid 1417 T. Hoshino, M. Chida, T. Yamaura, Y. Yoshizawa and J. Mizutani

Microbial hydroxylation of sclareol 1421 W.-R. Abraham

Chemotaxonomy

Sesqui- and diterpenoids from *Plagiochila* species 1425 F. Nagashima, H. Tanaka, M. Toyota, T. Hashimoto, Y. Kan, S. Takaoka, M. Tori and Y. Asakawa

Erythroxan diterpenes from *Fagonia* species 1431 M. S. Abdel-Kader, A. A. Omar, N. A. Abdel-Salam and F. R. Stermitz

Plant Chemistry

Linalyl β-D-glucopyranoside and its 6′-*O*-malonate as aroma precursors from *Jasminum sambac* 1435 J.-H. Moon, N. Watanabe, K. Sakata, J. Inagaki, A. Yagi, K. Ina and S. Luo

Sesquiterpenes from *Fabiana imbricata* 1439 G. Schmeda-Hirschmann and F. Papastergiou

Sesquiterpene lactones from *Montanoa leucantha* subsp. *leucantha* 1443 L. Quijano, R. I. Trejo, O. Collera and T. Ríos

Artabsin and 3-oxa-artabsin derivatives from *Achillea millefolium* species 1449 H. Schröder, U. Kastner, K. Gargula, M. Budešínský, E. Haslinger, J. Jurenitsch and W. Kubelka

Neo-clerodane diterpenoids from *Linaria saxatilis* var. *glutinosa* 1453 M. Gordaliza, J. M. Miguel Del Corral, M. L. De La Puente and A. San Feliciano

6,7-Oxygenated neo-clerodane furan diterpenes from *Croton sonderianus* 1457 E. R. Silveira and J. D. McChesney

A sterol with an unusual side chain from *Anoectochilus koshunensis* 1465 A. Ito, K. Yasumoto, R. Kasai and K. Yamasaki

A triterpene from *Rubus pinfaensis* 1469 D. G. Durham, Xiaojun Liu and R. M. E. Richards

Foliumin, a spirosten lactone saponin from *Solanum amygdalifolium* 1473 F. Ferreira, A. Vazquez, P. Moyna and L. Kenne

Oleanane glycosides from *Hydrocotyle ranunculoides* 1479 M. Della Greca, A. Fiorentino, P. Monaco and L. Previtera

Oleanane-triterpene saponins from *Clinopodium chinense* var. *parviflorum* 1485 F. Mori, T. Miyase and A. Ueno

Two triterpenoid saponins from *Heinsia crinata* 1489 Babady-Bila, C. Wynants, S. Toppet, A. Kilonda and G. Hoornaert

Cytotoxic limonoids from *Melia azedarach* var. *Japonica*	1493	Jong-Woong Ahn, Sang-Un Choi and Chong-Ock Lee
Prenylated C_6–C_3 compounds from *Illicium tashiroi*	1497	Y. Fukuyama, N. Shida, Y. Hata and M. Kodama
Phenolic diarylheptanoids from *Curcuma xanthorrhiza*	1505	A. Suksamrarn, S. Eiamong, P. Piyachaturawat and J. Charoenpiboonsin
Stilbenoids from *Cassia garrettiana*	1509	K. Baba, T. Kido, M. Taniguchi and M. Kozawa
Ochrolic acid, a precursor to phenanthropyrones, from *Coelogyne ochracea*	1515	V. Anuradha, N. S. Prakasa Rao and M. Udaya Bhaskar
An isoflavone glycoside from the seeds of *Trichosanthes anguina*	1519	R. N. Yadava and Y. Syeda
Rotenoids and chalcones from *Mandulea sericea* that inhibit phorbol ester-induced ornithine decarboxylase activity	1523	L. Luyengi, Ik-Soo Lee, Woongchon Mar, H. H. S. Fong, J. M. Pezzuto and A. D. Kinghorn
Diterpenoid alkaloids from Ayurvedic processed and unprocessed *Aconitum ferox*	1527	J. B. Hanuman and A. Katz
Alkaloids from the bark of *Holarrhena pubescens*	1537	S. Begum, S. B. Usmani, B. S. Siddiqui and S. Siddiqui
Canthin-6-one alkaloids from *Brucea mollis* var. *tonkinensis*	1543	Y. Ouyang, K. Koike and T. Ohmoto
Short Reports		
Sesquiterpenoids and iridoid glycosides from *Valeriana fauriei*	1547	K. Nishiya, T. Kimura, K. Takeya and H. Itokawa
Teutrifidin, a *neo*-clerodane diterpenoid from *Teucrium trifidum*	1549	M. T. Davies-Coleman, J. R. Hanson and D. E. A. Rivett
The isolation of 16β,18-dihydroxyaphidicolan-17-oic acid from *Cephalosporium aphidicola*	1551	J. R. Hanson and J. A. Takahashi
Phytene-1,2-diol from *Artemisia annua*	1553	G. D. Brown
An acidic triterpene glycoside from *Cephalaria transsylvanica*	1555	S. Kirmizigül and H. Anil
Phenylethanoid glycoside from *Veronica undulata*	1557	H. Aoshima, T. Miyase and A. Ueno
Revision of the structure of obtusifol	1559	M. Boeykens, N. De Kimpe, S. L. Debenedetti, E. L. Nadinic, M. A. Gomez, J. D. Coussio, A. Z. Abyshev and V. A. Gindin
Millettonine, a guanidine alkaloid from *Millettia laurentii*	1561	P. Kamnaing, S. N. Y. Fanso Free, Z. T. Fomum, M.-T. Martin and B. Bodo
Erratum and corrigendum	1563	